



INTERNATIONAL JOURNAL FOR ENGINEERING APPLICATIONS AND TECHNOLOGY

A PERFORMANCE ANALYSIS OF GREEN ENGINE

GIRDHAR SHENDRE¹, SUJIT KAREKAR², CHETANA PARATE³, RAM JADHAO⁴

¹BE , Department of Mechanical Engineering, JDIET, Maharashtra, India, krishna06022000@gmail.com

²BE , Department of Mechanical Engineering, JDIET, Maharashtra, India, sujitbkarekar30@gmail.com

³BE , Department of Mechanical Engineering, JDIET, Maharashtra, India, chetanaparate98@gmail.com

⁴BE , Department of Mechanical Engineering, JDIET, Maharashtra, India, rjadhao0703@gmail.com

Abstract

This paper describes about the green engine, which is one of the most interesting discoveries of the new millennium. It has got some unique features when compared to other contemporary engines. This engine is one of the pistonless with features like high expansion ratio, strong swirling, sequential variable compression ratio, direct intake etc. The efficiency of this engine is very high and also the exhaust emissions are near zero. The significance of the engine lies in the efficiency when the present world is facing some serious problems regarding energy crisis. Various researches on this engine is being carried out and yet to find the demerits of this engine. Generators have been produced by using green engine. Hence the GREEN ENGINE is the ENGINE OF FUTURE. There are many disadvantages of conventional engine one of which pollution. The efficiency of this engine is high when compared to the contemporary engine and also the exhaust emission are near zero. The significance of the engine lies in the efficiency when the present word condition of limited resource of energy are considered. Prototype of the engine has been developed.

Index Terms: Engine ,Prototype, Compression ratio.

1.INTRODUCTION

A **green engine** is any power source or “**engine**” from which the fuel or energy source is a **green** resource or zero emission energy source such as wind, solar or wave energy. The green engine is one of the most interesting discoveries of the new millennium. It has got some unique features that were used for the first time in the making of engines. This engine is a piston less one with features like sequential variable compression ratio, direct air intake, direct fuel injection, multi-fuel usage etc. The efficiency of this engine is high when compared to the contemporary engines and also the exhaust emissions are near zero. The significance of the engine lies in the efficiency when the present world conditions of limited resources of energy are considered. Prototypes of the engine have been developed. Generators have been produced with the green engine. A green engine is any power source or “engine” from which the fuel or energy source is a green resource or zero emission energy source such as wind, solar or wave energy. Examples include a electric motor driven by battery power derived from solar

panels or motors running from power generated on a wind turbine farm.

Associated with green engines is “Green Engineering” which refers to engineering design and technology of process plants, power generation and other industrial processes that is targeted at reducing carbon emissions and pollutants to atmosphere or any engineering carried out to protect the planets environment.

Examples include wet scrubbing and gas scrubbing technology designed and installed on sulfuric acid plant discharge gases and combined cycle power plants to recover heat energy and maximize recovery of energy from fossil fueled power plants such as natural gas and coal plants. Any engineering and technology which increases efficiency of industrial plant and processes could be deemed “green engineering”.

Green engineering could also fall into the category of renewable energy engineering technology such as solar power farms where engineering solutions are based on sustainable

sources such as wind and solar energy. The subject is extensive however the above would give you a flavor for the scope that green engineering covers.

2. TECHNICAL FEATURES

Compared to conventional piston engines, operated on four phases, the Green engine is an actual six phase internal combustion engine with much higher expansion ratio. Thus it has six independent or separate working processes: intake, compression, mixing, combustion, power and exhaust, resulting in the high air charge rate. Satisfactory air-fuel mixing, complete burning, high combustion efficiency and full expansion. The most important characteristic is the expansion ratio being much bigger than the compression ratio. Therefore, an engine having extremely high thermal efficiency, near-zero emissions, quietness, light and small, lower cost with capability of burning of various fuels has come into being.

2.1 Direct Air Intake

Direct air intake means that there is no air inlet pipe, throttle and inlet valves on the air intake system. Air filter is directly connected to the intake port of the engine, and together with the less heating effect of air intake process, benefited from lower temperature of independent intake chamber, a highest volumetric efficiency which makes engine produce a high torque of output on all speed range is achieved. The pump loss which consumes the part of engine power is eliminated. Also fuel measuring facilities are built-in, and parts are saved.

2.2 Super Air-Fuel Mixing

Direct fuel injection can provide higher output and torque, while at the same time it also enhances the response for acceleration.

2.3 Super Air-Fuel Mixing

Since the independent air-fuel mixing phase is having enough time for mixing air and fuel under strong swirling and hot situation, the engine is capable to burn any liquid or gas fuels without modifications. An ideal air-fuel mixture could delete CO emission. Also centrifugal effect coming from both strong swirling and rotation of the burner makes the air-fuel mixture denser near the spark plug.

2.4 Strong Swirling

As a tangential air duct in between combustion chamber and compression chamber, a very swirling which could last until gas port is opened, can be formed while air is pumped into the combustion chamber. Consequently, the air-fuel mixing and the combustion process can have a satisfying working condition.

2.5 Sequential Variable Compression Ratio

This greatly revolutionary innovation can provide the most suitable compression ratio for the engine whatever operation mode it works on with burning variety of fuels. Therefore, an excellent combustion performance is attained.

2.6 Multi-Power Pulses

The green engine operates on multi-power pulses with a small volume of working chamber contrasted to the conventional engine dose on the single power pulse with a large working chamber. Obviously, a small volume of chamber only needs little space, resulting in compact structure and limited size.

2.7 Constant Volume Combustion

The fuels can generate more energy while the combustion occurs on the constant volume. Also, the constant volume combustion technology can allow the engine to have a stable combustion when the lean burning is managed. Moreover, more water can be added in to make the much higher working pressure and drop down the combustion temperature, so power is added; heat losses and NOx emissions are decreased

3. CONSTRUCTION OF THE GREEN ENGINE

As earlier mentioned, the Green engine is a six phase, internal combustion engine with much higher expansion ratio. The term "phase" is used instead of "stroke" because stroke is actually associated to the movement of the piston. The traveling of the piston from bottom dead centre to the top dead centre or vice versa is termed a stroke. But, in this engine pistons are absent and hence, the term "phase" is used. The six phases are: intake, compression, mixing, combustion, power and exhaust. Even though the engine is of symmetric shape, the vanes traverse an unsymmetrical or uneven boundary. This shape cannot be compromised as this a result of the path taken by the intake and exhaust air. This uneven boundary is covered by the vanes in a very unique fashion.




Figure No. 1: Construction of the Green Engine

4. WORKING OF THE GREEN ENGINE




Figure No. 2: GREEN ENGINE

• Intake

The air arrives to the engine through the direct air intake port in the absence of an air inlet pipe, throttle and inlet valves on the air intake system. A duct is provided on the sides of the vane and rotor. The duct is so shaped that when the air moves through, strong swirls generate when it gets compressed in the chamber. The air pushes the vane blades which in turn impart a proportionate rotation in the small rotor which houses the chambers. The inlet air duct ends with a very narrow opening to the chamber.

• Compression

The rushing air from the duct is pushed by the blades into the small chambers in the rotor. The volume of these chambers is comparatively very small. Naturally, the compression obtained by such a procedure is very satisfactory. As earlier mentioned, the compressed air is in a swirling state, ready to be mixed with the fuel which will be injected into the chamber when it will be placed before the injector by the already rotating rotor.

• Mixing

As soon as the chamber comes in front of the fuel injector, the injector sprays fuel into the compressed air. Because of the shape of the chamber, the fuel mixes well with the compressed air. The importance of ideal mixing leads to deletion of CO emission. And also because of the strong swirling, a centrifugal effect is exerted in the air-fuel mixture. Moreover, the rotation of the burner, makes this centrifugal effect all the more effective. Mixing phase has enough time to produce an ideal air-fuel mixture as the spark plug is positioned towards the other end of the rotor or burner.

• Combustion

As the chamber rotates towards the “end” of its path, it is positioned before the spark plug. A spark flies from the plug into the air-fuel mixture. Because of the mixing phase, the air-fuel mixture is denser near the spark plug, thereby, enabling lean-burning of the charge and also a uniform flame front. As soon as the whole charge is ignited, the burner rotates to position itself in front of the narrow exit.

• Power

The expanded gas rushes out of the chamber through the narrow opening, thereby pushing the name in the process. The sudden increase in volume ensures that more power is

released. Or in other words, the thermal energy is fully utilized.

• Exhaust

As the thermal energy is fully utilized, the exhaust gases bring along comparatively less heat energy. This mainly helps in the thermal efficiency of the engine. It raises the engine’s thermal efficiency and also because of the complete burning of the charge, poisonous gases like CO are absent in the exhaust emissions.




Figure No. 3: 6 PHASES OF GREEN ENGINE

5. ADVANTAGES

- I. Small Size and Light Weight
- II. High Efficiency
- III. Smooth Operation
- IV. Quietness and Low Exhaust Temperature
- V. Limited Parts
- VI. Multi-fuels
- VII. Low Cost

6. DISADVANTAGES

- I. Choking of flow during combustion due high pressure difference and small clearance area.
- II. Friction and wear.
- III. Efficiency gets reduced due to leakage.

7. APPLICATIONS

- I. Like normal engine green engine can be employed in automobile and in aircrafts too.
- II. Engineering application.
- III. Military use.
- IV. Electrical generators.
- V. Ships and submarines

BE SECOND Year Student of Mechanical Engineering. Studying at Jawaharlal Darda Institute of Engineering And Technology Yavatmal.

1] I publish my 1st research paper at International Journal for Engineering Applications and Technology (IJFEAT) and also publish at NCRTE-2017. I research on the topic |DESIGN AND ANALYSIS OF DISC BRAKE ROTOR|

2] My second paper was publish in the international journal which is INTERNATIONAL JOURNAL OF ADVANCE SCIENTIFIC RESEARCH AND ENGINEERING TRENDS on the topic —ARTIFICIAL APTITUDE AND ROBOTICS|

3] My third research paper was also publish in the international journal which is IJASRET on the topic —BOMB DETECTOR|

4] My 4th research paper was published in the IJECSCSE on the topic — EFFECT OR IMPACT OF AI AND ROBOTICS|

5] My 5th research paper was published in is INTERNATIONAL JOURNAL OF ADVANCE SCIENTIFIC RESEARCH AND ENGINEERING TRENDS on the topic — NIGHT TIME REVELATION|

6] My 6th research paper was published in is INTERNATIONAL JOURNAL OF ADVANCE SCIENTIFIC RESEARCH AND ENGINEERING TRENDS on the topic — NANOROBOT : The Vast Achievement|

CONCLUSION

As we have discussed there are lots of advantages of green engine over traditional IC engine. This study shows that GREEN ENGINE is beneficial and good efficiency over 2 Stroke and 4 Stroke. Hence it will be accepted and useful for some unique features.

ACKNOWLEDGEMENT

The authors are thankful to all friends and Professors who help in this paper and would like to thank the anonymous reviewers for their comments which were very helpful in improving the quality and presentation of this paper.

REFERENCES

- [1]. Sibley, Brian (1995). The Thomas the Tank Engine Man. London: Heinemann. ISBN 0-434-96909-5.
- [2]. ^ "The Real Stories Database – book 23, story 2". (Real life events that inspired the Rev W Awdry). The Real Lives of Thomas the Tank Engine. Retrieved 22 October 2010.
- [3]. Green Engine Low RPM High Torque Pressure Driven Turbine for Top Efficiency Power Modulation. Peers reviewed paper - Published in The Proceeding of Turbo Expo 2007 of the IGTI.
- [4]. Sibley, Brian (1995). The Thomas the Tank Engine Man. London: Heinemann. ISBN 0-434-96909-5.
- [5]. Liu, C.Y., R. Chen and F. Hussain Syed, 1998. Development of Gaseous Injector for Propane and CNG, SAE Technical Paper 981355. [Http://www.sae.org/technical/papers/981355](http://www.sae.org/technical/papers/981355)
- [6]. Pischinger, S., M. Umierski and B. Hüchtbrock, 2003. New CNG concepts for passenger cars: High torque engines with superior fuel consumption. SAE Technical Paper 2003-01-2264. <http://www.digitalcar.org/technical/papers/2003-01-2264> .
- [7]. American Journal of Environmental Sciences (371-381, 2009) ISSN 1553-345X, 2009 by R. A. Bakar and A.R. Ismail.
- [8]. International Conference on Science, Technology and Management.(ICSTM-16 978-81-932074-0-6), 2016 by Pravesh M. Adhagle and Nilesh S. Mate .

2. SUJIT B. KAREKAR

sujitbkarekar30@gmail.com

BE SECOND Year Student of Mechanical Engineering. Studying at Jawaharlal Darda Institute of Engineering And Technology Yavatmal.

1] I publish my 1st research paper at International Journal for Engineering Applications and Technology (IJFEAT) and also publish at NCRTE-2017. I research on the topic |DESIGN AND ANALYSIS OF DISC BRAKE ROTOR|

3. CHETANA N. PARATE

chetanaparate98@gmail.com

BE SECOND Year Student of Mechanical Engineering. Studying at Jawaharlal Darda Institute of Engineering And Technology Yavatmal.

4. RAM V. JADHAO

rjadhao0703@gmail.com

BE SECOND Year Student of Mechanical Engineering. Studying at Jawaharlal Darda Institute of Engineering And Technology Yavatmal.

BIOGRAPHY

1.GIRDHAR SHENDRE

krishna06022000@gmail.com